

BUTYL TAPES PU SEALANTS AND ADHESIVES



• Laminated Butyl tapes



• TACK BAND SR

Aluminium-butyl sealing tape
Roofing, Maintenance and Repairs
Easily tearable



• TACK BAND AD

Reinforced aluminium-butyl sealing tape
Roofing, HVAC, Façades sealing
M1 Fire classification - EN 13 501-1




• TACK BAND VX

Aluminium-valeron-butyl sealing tape
Façades sealing
Untearable - M1 Fire classification



• TACK BAND GF

Grained aluminium-butyl sealing tape
Roofing
Aesthetic



• TACK BAND CL

Untearable aluminium-butyl sealing tape
Roofing
Strong mechanical resistance



• MONOTAPE AD

Aluminium-butyl sealing tape without protection liner
Roofing, sun lounges/rooms joining, Gutters repairs
M1 Fire classification - Ease of use



• TACK BAND AC

Copper-butyl sealing tape
Roof sealing complement, gutters repairs
Genuine copper, natural ageing



• RESY ALB

Aluminium butyl sealing tape
Vapour barrier membrane for LNG terminals (piping) or HVAC
M1 Fire classification - ASTM E8405



• TACK BAND TX

Reinforced polyester-butyl-polyester sealing tape
Vapour barrier membrane for LNG terminals (piping)
Strong mechanic resistance



• RESYTE 30/80/100

Stretchable polyethylene-butyl tape
HVAC
B2 fire classification



• T240 PNT

Kraft-butyl anti vibrating tape
Automotive, Industry
Good quality/price ratio



• T240 NTA

Non-woven hydrophobic polypropylene film combined with butyl
Under tiling sealing in wet rooms
Compatible with all tile adhesives



• T255 AL 10/15

Aluminium butyl anti vibrating tape
Automotive, Industry
High anti vibrating performances - M1 fire classification - Smoke development index F0



• T1415 AL 15


Aluminium butyl anti vibrating tape
Automotive, Industry
Good anti vibrating performances




• BUTYL FOAM

Butyl- polyéthylène foam -butyl soundproofing system
Adhesive system for wooden floors & parquets
Acoustical insulation underlayment built-in, no drying, ease of use


• Double-sided Butyl tapes



Double-sided butyl tape
Flexible assembly
Immediat Tack. B2 fire classification




Double-sided butyl tape - High tack
Flexible assembly
Immediat tack and strong adhesion.
Good elasticity




Double-sided butyl tape High-performance
Flexible assembly
High tack and adhesion performances


• Preformed Butyl strips



Preformed butyl strip
Sealing by compression in Civil engineering (manholes), light prefabrication, fiber-cement covers
Cost-efficient



Preformed butyl strip NFRC Class A
Sealing by compression in Metallic Construction, flexible assembly
Good performances



Preformed butyl strip High-performances
Metallic Construction, wood/glass sealing in joinery, flexible assembly
High adhesion - Very high mechanical resistance

Caption

Functions :

- Sealing
- Acustical and/or thermal insulation
- Adhesive/ Bonding
- Anti-vibrating

• Commercial name

Product definition
Main applications
Product Assets



Non-adhesive preformed butyl strip
Expansion joints & sealing by compression, sealing complement for bitumen membranes
Ease of use



Preformed butyl strip
Sealing by compression in Civil engineering (manholes)
Ease of use

• Special Butyl tapes



Anti condensation cork-butyl tape
Cold fluids in piping and ducting, HVAC
Low thermal conductivity



Grooved preformed butyl tape
Industrial Joinery (insulating glass)
Ease of use (streaked)



Preformed butyl tape High Temperatures
Vacuum molding and composite industry
Temperature of service until 205°C
Compatible with most vacuum films

• PU Sealants & Adhesives

310 ml cartridge
or 600ml sausage



• RESYFLEX 151 ISO

Low modulus polyurethane sealant
Building Expansion joints -
Masonry and Prefabrication filling
ISO 11 600 F 25 LM -
DIN 18 540 - ASTM C920
SNJF Label



• RESYFLEX 112 ISO

Medium modulus polyurethane sealant-adhesive. Reinforced viscosity
Building Expansion joints
Masonry and Prefabrication filling
ISO 11 600 F 25 LM



• RESYFLEX 151 SC ISO

Low modulus polyurethane sealant - Slow curing
Building Expansion joints -
Masonry and Prefabrication filling
- Difficult atmospheric conditions
ISO 11 600 F 25 LM




• RESYCOLLE ISO

High modulus polyurethane sealant-adhesive
Tile adhesive NF P 85-611 and
85-610, wooden sticks
ISO 11 600 F 25 LM -
ASTM C920 - Adhesion with-
out primer on most build-
ing materials - Paintable



• RESYBRID 50FC

One-component hybrid adhesive Fast curing
Inside or Outside use - Fixing in
Building & Construction - Metallic
materials
Isocyanate & silicone free -
High Modulus Shore A 50



• RESYBRID CP

One-component hybrid adhesive (spatula use)
Wooden floors & parquets including heating
floors
NF B 54008 - Isocyanate & solvent free
EC1 Class- Ease of use



• RESYFLEX 233

One-component Polyurethane adhesive (strip application)
Wooden floors and parquets
Compatible with all types of woods



• RESYFLEX CP3

One-component Polyurethane adhesive (spatula application)
Wooden floors and parquets
EN 14293 : 2004

• Acrylic Sealants



• FIXACRYL F+

Acrylic sealant
Cracks filling and repairs.
Excellent adhesion on wood,
concrete, anodized aluminium,
PVC, masonry materials
ISO 11600 F 7,5P



• FIXACRYL M1

Acrylic sealant
HVAC
M1 Fire certification - solvent free

• Butyl Primer



• PI10

Solvented primer for Butyl Adhesive
Improve adhesion on porous
materials



• PU Primer



• PII

Solvented Polyurethane Primer
Improve adhesion on porous
materials or materials submit-
ted to important movements



• Hybrid Adhesives

• Silicone Sealants



• UNISIL NIT ISO

Neutral silicone sealant tinted or transparent
Sealing joints on façade
panels, outside joinery,
sanitary applications -
Expansion joints in
prefabrication and masonry
ISO 11600 F 25 LM -
ASTM C920 -
Compatible with most
building materials

• PU Foams



• RESYFOAM M/P

Expansive polyurethane foam (manual or gun application)
Walls/ceilings connec-
tions - Joinery - Insula-
tion panels - ducts
filling
No HCFC gas



BUILDING & INDUSTRY

For over 50 years, Olin has been designing and manufacturing **sealing, insulation** and **adhesive** products to fit with Building and Industry markets' requirements. Its wide range of products is also dedicated to specialized distributors and importers.


Olin is controlling all the value chain thanks to its technical and international experience:

- R&D with 2 laboratories
- Customized, flexible and quality certified production
- Worldwide commercial presence on all continents

OLIN's flagship range of products


Butyl tapes

- Unequalled technology and experience
- Wide range of chemical formulations
- Large production capacity
- Tangible results in industry and construction fields




Polyurethane sealants

- Multipurpose & effective formulas
- Successful private brands strategy
- Products conforming to international and technical requirements



In all departments including production, Olin is respecting its commitments thanks to a rigorous and **ISO 9001 quality certified organisation**.



The Right Formula to move forward, together.



HEADQUARTERS

25, avenue de l'Industrie - B.P. 419 - 69964 Corbas - FRANCE
Tel. +33 (0)4 72 23 18 00 - Fax +33 (0)4 72 23 18 18

*Butyls factory: Z.I. Les Portes du Dauphiné
Rue Ampère - 69780 Saint Pierre de Chandieu - FRANCE*

www.olin.fr - info@olin.fr